

Andrew C. Haas  
October 21, 2007

Experimental particle physics search committee c/o PPA Faculty Affairs  
MS 60, Stanford Linear Accelerator Center  
2575 Sand Hill Road  
Menlo Park, CA 94025, USA  
(ppa\_facultyaffairs@slac.stanford.edu)

Dear Selection Committee,

Please accept this letter and accompanying material as application for your position as Assistant Professor of Experimental High-Energy Physics. For the past four years I have been a post-doc with the experimental high-energy physics group at Columbia University, working on the DZero experiment at the Fermilab Tevatron and the ATLAS experiment at CERN's Large Hadron Collider (LHC). This position has given me the opportunity to continue to analyze new data from the world's currently highest-energy accelerator, while contributing to and preparing for an exciting new experiment that will soon be collecting data at a much greater energy.

I am fascinated by fundamental particle interactions and enjoy greatly working on experiments that help to understand them better, as well as search for new physics. Perhaps the most interesting open question in particle physics today is how electro-weak symmetry is broken: how do the W and Z bosons get their mass? And why are these masses so small compared to the fundamental energy scale? DZero has the exciting possibility to address these questions, and ATLAS is nearly guaranteed to provide the answers. The leading candidate theory is a light Higgs boson and the presence of Supersymmetry. I have completed several analyses using data from DZero that address these issues. I pioneered a search at DZero for Higgs bosons in the context of Supersymmetry that takes advantage of DZero's new ability to identify hadronic bottom-quark jets. And I devised a way to observe the decays of Z bosons to bottom-quark jets, an important step towards observing the Higgs boson. Then I looked for evidence of a new long-lived particle that would be a sign of split-Supersymmetry. Last year I focused on the search for the Higgs boson within the context of the Standard Model. DZero has a chance of observing this particle, thus making one of the most exciting discoveries in the history of particle physics, before the experiments at the LHC can collect sufficient data. I completed an analysis in one of the most sensitive channels, where the Higgs boson is produced along with a Z boson that decays to leptons. This year I was given the honor of leading the DZero Higgs group, and I hope we will be able to make some serious statements on Higgs bosons in the near future.

I've also had the opportunity to work on many projects that have improved the ability of DZero to take data and reconstruct it accurately. I played a major role in building DZero's Level 3 trigger and data acquisition system and in the calibration of the calorimeter. Through my work as convener of the bottom-quark jet identification group at DZero, I have been able to initiate and lead many interesting projects that have improved DZero's abilities.

The ATLAS experiment will study proton collisions using the nearly-completed LHC, which will provide seven times more energy than available at the Tevatron. With the Columbia group on ATLAS, I contributed to the manufacture, testing, installation, and commissioning of the sophisticated electronics which record data from the Liquid Argon calorimeter. I have also developed software for the monitoring of calorimeter data quality and am responsible for the display of calorimeter data in the ATLAS event display. And to prepare for physics from the ATLAS experiment, I have analyzed simulated data and optimized a search strategy for Higgs bosons in the decays of Supersymmetric particles. The entire physics community is extremely excited to see the results and almost certain

discoveries from this new energy frontier, which opens as soon as 2008.

I look forward to remaining in an academic environment. I enjoy working with students, both undergraduate and graduate. For the past three summers, I have been part of a REU program where I had the opportunity to advise undergraduates on projects related to high-energy physics. And I have enjoyed advising a graduate student in our group at Columbia for the past two years. I am excited to begin teaching undergraduate or graduate courses, which I feel will be an interesting and rewarding experience.

Thank you for considering me for this position. I feel I would be a good fit to your experimental high-energy group. Please feel free to contact me at [haas@fnal.gov](mailto:haas@fnal.gov) with any questions.

Sincerely,

Dr. Andrew C. Haas

P.S. - I have asked for letters of reference to be sent to you from the following contacts:

John Parsons <[parsons@nevis.columbia.edu](mailto:parsons@nevis.columbia.edu)>

Jerry Blazey <[blazey@fnal.gov](mailto:blazey@fnal.gov)>

Matt Strassler <[strassler@physics.rutgers.edu](mailto:strassler@physics.rutgers.edu)>

# Statement of Research Interests

Dr. Andrew C. Haas

The near-term future of experimental high-energy physics is without doubt at the LHC, and I would focus my research on the ATLAS experiment. With high-energy data likely in late 2008, extremely exciting times are right around the corner. As a post-doc with the Columbia ATLAS group, I've already had a chance to contribute to commissioning efforts of the calorimeter and become familiar with the data analysis infrastructure by doing a simulated analysis. I would continue to help with the commissioning of the detector and software, as well as becoming even more involved in plans for triggering and physics analyses. My goal would be to make sure that myself, and the rest of the group, including students and post-docs, are ready to analyze and understand the first data from ATLAS, in search of new discoveries. Hopefully what I am interested in at ATLAS will be greatly influenced by discoveries in the initial ATLAS data! Otherwise I would likely continue to search for new phenomena such as Supersymmetry, or other more exotic signatures of new physics.

I am also very interested in the prospect of a future International Linear Collider (ILC), and would like to take part in the planning and building of an experiment there. I have greatly enjoyed contributing to the commissioning of the DZero and ATLAS experiments. I think it would be even more rewarding to have a greater impact on the planning of an ILC experiment, by getting involved early in the design phase. I have gained significant experience in calorimetry, tracking / b-jets, and data acquisition and think I could contribute significantly to a detector design. I would also like to work for the possibility of building the ILC here in the United States, possibly at Fermilab, since it seems crucial for sustaining American high-energy experimental physics in the long-term.

## Curriculum Vitae

Andrew C. Haas

149 E. 61 St. - Apt. 4b, NY, NY 10065

Phone: 206-226-9340 email: haas@fnal.gov

### 1. Academic Degrees

PhD	University of Washington	2004	Physics
BS with Honors	Brown University	1998	Physics

### 2. Professional Experience

2004 - present      Postdoctoral Research Associate  
Department of Physics, Columbia University / Nevis Labs

Leading the DZero Higgs group since Fall 2007. Performed several analyses using data from Run II of the DZero experiment that address electro-weak symmetry breaking and the search for physics beyond the Standard Model. Published the most sensitive search for Higgs bosons in Supersymmetric models in 2005. Published a search for new long-lived particles in the context of split-Supersymmetry in 2007. Used an artificial neural-network to search for the Standard Model Higgs boson in the ZH dilepton channel, released in 2007. Convened the bottom-quark-jet identification group at DZero from 2005-2007. Calibrated DZero's hadronic calorimeter, leading to better reconstruction of jets. Continuing to support and improve the DZero DAQ system and event display.

Developed software for automated lifetime testing of the ATLAS LAr front-end boards (FEBs). Assisted with installation and commissioning of the FEBs on the ATLAS detector. Developed software for online data-quality monitoring of the FEBs. Performed a Higgs search in simulated ATLAS data using the ATHENA framework. Contributed to the ATLAS event display and outreach and have been responsible for calorimeter display since 2005.

1999 - 2004      Research Assistant  
Department of Physics, University of Washington, Seattle, WA

Performed a search using data from Run II of the DZero experiment at Fermilab to set a limit on the production of Higgs bosons in the MSSM, published 2005. Played major role in design, implementation, commissioning, and support of a new Level 3 trigger / data acquisition (DAQ) system for the DZero experiment based on commodity hardware and open-source software, leading to a publication in 2004. Implemented a monitoring system for the new data acquisition system at DZero, published in 2003. Developed software for the triggering and reconstruction of events from DZero, including a new algorithm for reconstructing charged particle tracks and event vertices, published in 2000.

1998 - 1999      Research Assistant / Teaching Assistant  
Department of Physics, University of Washington, Seattle, WA

Worked on simulations of the upcoming GLAST experiment. Worked on the DZero event display and debugged the detector geometry model. Taught laboratory classes in classical mechanics and E&M.

### 3. Other Experience and Activities

Summer 2003      SLAC Summer Institute  
Menlo Park, CA

Attended lectures and took part in discussion sessions focused on the interface between Cosmology and High-Energy Physics.

2002 - 2003      Graduate Student Representative  
Fermilab, Batavia, IL

Organized monthly talks, out-reach events, and a student conference. Took part in a trip to Washington, D.C. to raise awareness of High-Energy Physics in the Senate and Congress.

Summer 1999      Software Developer  
Pacific Northwest National Laboratories, Richland, WA

Developed software based on C++ and ROOT for the real-time monitoring of rare radioactive isotope concentrations.

### 4. Professional Affiliations

American Physical Society  
American Association for the Advancement of Science  
Elected member of Sigma Xi, The Scientific Research Society

### 5. Awards

2003      American Physical Society Northwest Section  
Best Student Talk

2002      DZero Collaboration Meeting  
Outstanding graduate-student contributions

## 6. Selected Publications

DZero Collaboration, "Search for stopped gluinos from p-anti-p collisions at  $s^{1/2} = 1.96\text{-TeV}$ ", Phys.Rev.Lett.99:131801,2007.

DZero Collaboration, "Search for neutral supersymmetric Higgs bosons in multijet events at  $s^{1/2} = 1.96\text{-TeV}$ ", Phys.Rev.Lett.95:151801,2005.

B.Angstadt, *et al.*, "The DZERO level 3 data acquisition system", IEEE Trans.Nucl.Sci.51:445-450, 2004.

A. Haas *et al.*, The DZero online monitoring and automatic DAQ recovery, FERMILAB-CONF-03-467, CHEP-2003-TUGP011, Jun 2003, physics/0306195.

A. Haas, "Simultaneous Tracking and Vertexing with Elastic Templates", Proceedings of the VII International Workshop on Advanced Computing and Analysis Techniques in Physics Research, Oct 2000.

## 7. Presentations, Papers, and Posters

A. Haas (2007), "Flavour Tagging: State of the Art", ALCPG, Fermilab, <http://ilc.fnal.gov/conf/alcpg07/>.

A. Haas for the DZero and CDF Collaborations (2007), "Searches for Non-SM Higgs at the Tevatron", Moriond QCD 2007.

A. Haas for the DZero Collaboration (2006), "Search for the SM Higgs boson in the  $ZH \rightarrow \mu\mu b\bar{b}$  channel", preliminary results for DPF 2006, <http://www-d0.fnal.gov/Run2Physics/WWW/results/prelim/HIGGS/H27/>.

A. Haas for the ATLAS Collaboration (2006), "MSSM Higgs Prospects at ATLAS", DPF, Hawaii.

A. Haas for the DZero Collaboration (2006), "New Phenomena Searches at DZero", Exploring New Phenomena Workshop, <http://home.fnal.gov/~gerstein/NPworkshop/>.

A. Haas for the DZero Collaboration (2006), "Evidence for  $Z \rightarrow b\bar{b}$  decays at DZero", preliminary results for ICHEP 2006, <http://www-d0.fnal.gov/Run2Physics/WWW/results/prelim/HIGGS/H22/>.

A. Haas for the DZero Collaboration (2005), "Search for non-SM Higgs at DZero", SUSY 2005, Durham, UK.

A. Haas for the DZero Collaboration (2004), "Higgs Searches at DZero", Lake

Louise, Alberta, CA.

A. Haas, “A search for neutral Higgs bosons at high  $\tan\beta$  in multi-jet events from  $p$  anti- $p$  collisions at  $s^{1/2} = 1960\text{-GeV}$ ”, FERMILAB-THESIS-2004-26.

A. Haas, *et al.* (2003), “Dataflow in the DZero Level3 Trigger / DAQ System”, Proceedings of the 2003 Nuclear Science Symposium, Section N36-71.

A. Haas for the DZero Collaboration (2003), “Recent Results from DZero”, American Physics Society Northwest Session, Portland, OR.

A. Haas for the DZero Collaboration (2003), “Search for Neutral Supersymmetric Higgs Bosons at the  $D\bar{O}$  Detector at the Tevatron in Run II”, American Physical Society April Meeting, Philadelphia, PA.

A. Haas, *et al.* (2002), “Ethernet-based Data Acquisition for the DZero Experiment at Fermilab”, Proceedings of the 2002 World Multi-Conference on Systematics, Cybernetics, and Informatics.

A. Haas for the DZero Collaboration (2002), “Search for Neutral Supersymmetric Higgs Bosons at the  $D\bar{O}$  Detector at the Tevatron in Run II”, American Physical Society April Meeting, Albuquerque, NM.

A. Haas (1998), “The Search for the Stau at DZero”, Senior Thesis, Brown University.

## Papers by Andrew C. Haas

1. **“Search for Randall-Sundrum gravitons with 1 fb<sup>-1</sup> of data from ppbar collisions at sqrt(s)=1.96 TeV”**  
V. M. Abazov *et al.* [D0 Collaboration]  
arXiv:0710.3338 [hep-ex]  
FERMILAB-PUB-07-553-E(2007)
2. **“Measurement of the  $p\bar{p} \rightarrow WZ + X$  cross-section at  $\sqrt{s} = 1.96$ -TeV and limits on WWZ trilinear gauge couplings”**  
V. M. Abazov *et al.* [D0 Collaboration]  
arXiv:0709.2917 [hep-ex]  
FERMILAB-PUB-07-488-E(2007) (Submitted to Phys.Rev.D)
3. **“Measurement of the muon charge asymmetry from  $W$  boson decays”**  
V. M. Abazov *et al.* [D0 Collaboration]  
arXiv:0709.4254 [hep-ex]  
FERMILAB-PUB-07-493-E(2007) (Submitted to Phys.Rev.D)
4. **“Search for flavor-changing-neutral-current  $D$  meson decays”**  
V. M. Abazov *et al.* [D0 Collaboration]  
arXiv:0708.2094 [hep-ex]  
FERMILAB-PUB-07-423-E(2007) (Submitted to Phys.Rev.Lett.)
5. **“Search for the lightest scalar top quark in events with two leptons in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$ -TeV”**  
V. M. Abazov *et al.* [D0 Collaboration]  
arXiv:0707.2864 [hep-ex]  
FERMILAB-PUB-07-352-E(2007) (Submitted to Phys.Lett.B)
6. **“Search for  $B_s \rightarrow \mu^+ \mu^-$  at D0”**  
V. M. Abazov *et al.* [D0 Collaboration]  
arXiv:0707.3997 [hep-ex]  
FERMILAB-PUB-07-395-E(2007)
7. **“Measurement of the  $t\bar{t}$  production cross-section in  $p\bar{p}$  collisions using dilepton events”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Rev. D **76**, 052006 (2007) [arXiv:0706.0458 [hep-ex]]
8. **“Direct observation of the strange  $b$  baryon  $X i_b^-$ ”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Rev. Lett. **99**, 052001 (2007) [arXiv:0706.1690 [hep-ex]]
9. **“Measurement of the  $\Lambda_b^0$  lifetime using semileptonic decays”**  
V. M. Abazov *et al.* [D0 Collaboration]  
arXiv:0706.2358 [hep-ex]  
FERMILAB-PUB-07-205-E(2007) (Submitted to Phys.Rev.Lett.)
10. **“Search for stopped gluinos from  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$ -TeV”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Rev. Lett. **99**, 131801 (2007) [arXiv:0705.0306 [hep-ex]]

11. **“ $Z\gamma$  production and limits on anomalous  $ZZ\gamma$  and  $Z\gamma\gamma$  couplings in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$ - TeV”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Lett. B **653**, 378 (2007) [arXiv:0705.1550 [hep-ex]]
12. **“Search for a Higgs boson produced in association with a  $Z$  boson in  $p\bar{p}$  collisions”**  
V. M. Abazov *et al.* [D0 Collaboration]  
arXiv:0704.2000 [hep-ex]  
FERMILAB-PUB-07-076-E(2007) (Submitted to Phys.Lett.B.)
13. **“Measurement of the  $\Lambda_b$  lifetime in the exclusive decay  $\Lambda_b \rightarrow J/\psi\Lambda$ ”**  
V. M. Abazov *et al.* [D0 Collaboration]  
arXiv:0704.3909 [hep-ex]  
FERMILAB-PUB-07-094-E(2007) (Submitted to Phys.Rev.Lett.)
14. **“Search for production of single top quarks via flavor-changing neutral currents at the Tevatron”**  
V. M. Abazov *et al.* [D0 Collaboration]  
arXiv:hep-ex/0702005  
FERMILAB-PUB-07-031-E(2007) (Submitted to Phys.Rev.Lett.)
15. **“Measurement of the top quark mass in the lepton + jets channel using the ideogram method”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Rev. D **75**, 092001 (2007) [arXiv:hep-ex/0702018]
16. **“Measurement of the shape of the boson rapidity distribution for  $p\bar{p} \rightarrow Z/\gamma^* \rightarrow e^+e^- + X$  events produced at  $\sqrt{s}$  of 1.96-TeV”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Rev. D **76**, 012003 (2007) [arXiv:hep-ex/0702025]
17. **“Combined D0 measurements constraining the CP-violating phase and width difference in the  $B/s_0$  system”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Rev. D **76**, 057101 (2007) [arXiv:hep-ex/0702030]
18. **“Measurement of the branching fraction  $\text{Br}(B^0(s) \rightarrow D_s^{(*)} D_s^{(*)})$ ”**  
V. M. Abazov *et al.* [D0 Collaboration]  
arXiv:hep-ex/0702049  
FERMILAB-PUB-07-047-E(2007) (Submitted to Phys.Rev.Lett.)
19. **“Measurement of the charge asymmetry in semileptonic  $B_s$  decays”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Rev. Lett. **98**, 151801 (2007) [arXiv:hep-ex/0701007]
20. **“Lifetime difference and CP-violating phase in the  $B_s^0$  system”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Rev. Lett. **98**, 121801 (2007) [arXiv:hep-ex/0701012]
21. **“Search for single production of scalar leptoquarks in  $p$  anti- $p$  collisions decaying into muons and quarks with the D0 detector”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Lett. B **647**, 74 (2007) [arXiv:hep-ex/0612012]
22. **“Search for techniparticles in  $e + \text{jets}$  events at D0”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Rev. Lett. **98**, 221801 (2007) [arXiv:hep-ex/0612013]
23. **“Measurement of the  $p\bar{p} \rightarrow t\bar{t}$  production cross section at  $\sqrt{s} = 1.96$ -TeV in the fully hadronic decay channel”**  
V. M. Abazov *et al.* [D0 Collaboration]

arXiv:hep-ex/0612040

FERMILAB-PUB-06-426-E(2006) (Submitted to Phys.Rev.D)

24. **“Evidence for production of single top quarks and first direct measurement of  $-\mathcal{V}(tb)$ —”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Rev. Lett. **98**, 181802 (2007) [arXiv:hep-ex/0612052]
25. **“Measurement of the  $t$  anti- $t$  production cross section in  $p$  anti- $p$  collisions at  $s^{**}(1/2) = 1.96\text{-TeV}$  using secondary vertex  $b$  tagging”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Rev. D **74**, 112004 (2006) [arXiv:hep-ex/0611002]
26. **“Search for the pair production of scalar top quarks in the acoplanar charm jet topology in  $p$  anti- $p$  collisions at  $s^{**}(1/2) = 1.96\text{-TeV}$ ”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Lett. B **645**, 119 (2007) [arXiv:hep-ex/0611003]
27. **“Measurement of the CP-violation parameter of  $B_0$  mixing and decay with  $p$  anti- $p \rightarrow \mu\mu X$  data”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Rev. D **74**, 092001 (2006) [arXiv:hep-ex/0609014]
28. **“Measurement of  $B_d$  mixing using opposite-side flavor tagging”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Rev. D **74**, 112002 (2006) [arXiv:hep-ex/0609034]
29. **“Measurement of the  $W$  boson helicity in top quark decay at D0”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Rev. D **75**, 031102 (2007) [arXiv:hep-ex/0609045]
30. **“Measurement of the top quark mass in the lepton + jets final state with the matrix element method”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Rev. D **74**, 092005 (2006) [arXiv:hep-ex/0609053]
31. **“Measurement of the top quark mass in the dilepton channel”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Lett. B **655**, 7 (2007) [arXiv:hep-ex/0609056]
32. **“Limits on anomalous trilinear gauge couplings from  $W W \rightarrow e^+ e^-$ ,  $W W \rightarrow e^+ \mu^-$ , and  $W W \rightarrow \mu^+ \mu^-$  events from  $p$  anti- $p$  collisions at  $s^{**}(1/2) = 1.96\text{-TeV}$ ”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Rev. D **74**, 057101 (2006) [Erratum-ibid. D **74**, 059904 (2006)] [arXiv:hep-ex/0608011]
33. **“Search for pair production of scalar bottom quarks in  $p$  anti- $p$  collisions at  $s^{**}(1/2) = 1.96\text{-TeV}$ ”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Rev. Lett. **97**, 171806 (2006) [arXiv:hep-ex/0608013]
34. **“Experimental discrimination between charge  $2e/3$  top quark and charge  $4e/3$  exotic quark production scenarios”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Rev. Lett. **98**, 041801 (2007) [arXiv:hep-ex/0608044]
35. **“Measurement of the ratios of the  $Z/G^* + \ell = n$  jet production cross sections to the total inclusive  $Z/G^*$  cross section in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96\text{ TeV}$ ”**  
V. M. Abazov *et al.* [D0 Collaboration]  
arXiv:hep-ex/0608052  
FERMILAB-PUB-06-283-E(2006) (Submitted to Phys.Rev.Lett.)

36. **“Search for scalar leptoquarks in the acoplanar jet topology in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$ -TeV”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Lett. B **640**, 230 (2006) [arXiv:hep-ex/0607009]
37. **“Search for the Standard Model Higgs Boson in the  $p\bar{p} \rightarrow ZH \rightarrow \nu\bar{\nu}b\bar{b}$  channel”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Rev. Lett. **97**, 161803 (2006) [arXiv:hep-ex/0607022]
38. **“Search for neutral, long-lived particles decaying into two muons in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$ -TeV”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Rev. Lett. **97**, 161802 (2006) [arXiv:hep-ex/0607028]
39. **“Search for associated Higgs boson production  $WH \rightarrow WWW^* \rightarrow \ell^\pm\nu\ell' + \nu' + X$  in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$ -TeV”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Rev. Lett. **97**, 151804 (2006) [arXiv:hep-ex/0607032]
40. **“Search for  $W'$  boson production in the top quark decay channel”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Lett. B **641**, 423 (2006) [arXiv:hep-ex/0607102]
41. **“Search for a heavy resonance decaying into a  $Z$  + jet final state in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$ -TeV using the D0 detector”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Rev. D **74**, 011104 (2006) [arXiv:hep-ex/0606018]
42. **“Search for R-parity violating supersymmetry via the LL anti-E couplings  $\lambda_{121}$ ,  $\lambda_{122}$  or  $\lambda_{133}$  in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$ -TeV”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Lett. B **638**, 441 (2006) [arXiv:hep-ex/0605005]
43. **“Search for neutral Higgs bosons decaying to  $\tau$  pairs in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$ -TeV”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Rev. Lett. **97**, 121802 (2006) [arXiv:hep-ex/0605009]
44. **“Search for resonant second generation slepton production at the Tevatron”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Rev. Lett. **97**, 111801 (2006) [arXiv:hep-ex/0605010]
45. **“Search for particles decaying into a Z boson and a photon in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Lett. B **641**, 415 (2006) [arXiv:hep-ex/0605064]
46. **“Search for the rare decay  $B_s^0 \rightarrow \phi\mu^+\mu^-$  with the D0 detector”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Rev. D **74**, 031107 (2006) [arXiv:hep-ex/0604015]
47. **“Multivariate searches for single top quark production with the D0 detector”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Rev. D **75**, 092007 (2007) [arXiv:hep-ex/0604020]
48. **“Search for squarks and gluinos in events with jets and missing transverse energy in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$ -TeV”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Lett. B **638**, 119 (2006) [arXiv:hep-ex/0604029]
49. **“Search for excited muons in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$ - TeV”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Rev. D **73**, 111102 (2006) [arXiv:hep-ex/0604040]

50. **“A Precise measurement of the  $B_s^0$  lifetime”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Rev. Lett. **97**, 241801 (2006) [arXiv:hep-ex/0604046]
51. **“Measurement of  $B(t \rightarrow Wb)/B(t \rightarrow Wq)$  at  $\sqrt{s} = 1.96\text{-TeV}$ ”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Lett. B **639**, 616 (2006) [arXiv:hep-ex/0603002]
52. **“First direct two-sided bound on the  $B_s^0$  oscillation frequency”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Rev. Lett. **97**, 021802 (2006) [arXiv:hep-ex/0603029]
53. **“Search for pair production of second generation scalar leptoquarks in p anti-p collisions at  $\sqrt{s} = 1.96\text{-TeV}$ ”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Lett. B **636**, 183 (2006) [arXiv:hep-ex/0601047]
54. **“Measurement of the isolated photon cross section in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96\text{-TeV}$ ”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Lett. B **639**, 151 (2006) [arXiv:hep-ex/0511054]
55. **“Search for the Higgs boson in  $H \rightarrow W W^{(*)}$  decays in p anti-p collisions at  $s^{**}(1/2) = 1.96\text{-TeV}$ ”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Rev. Lett. **96**, 011801 (2006) [arXiv:hep-ex/0508054]
56. **“Measurement of semileptonic branching fractions of B mesons to narrow  $D^{**}$  states”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Rev. Lett. **95**, 171803 (2005) [arXiv:hep-ex/0507046]
57. **“Measurement of the lifetime difference in the B/ $s_0$  system”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Rev. Lett. **95**, 171801 (2005) [arXiv:hep-ex/0507084]
58. **“The upgraded D0 detector”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Nucl. Instrum. Meth. A **565**, 463 (2006) [arXiv:physics/0507191]
59. **“Search for large extra spatial dimensions in dimuon production at D0”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Rev. Lett. **95**, 161602 (2005) [arXiv:hep-ex/0506063]
60. **“Search for Randall-Sundrum gravitons in dilepton and diphoton final states”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Rev. Lett. **95**, 091801 (2005) [arXiv:hep-ex/0505018]
61. **“Measurement of the W boson helicity in top quark decays”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Rev. D **72**, 011104 (2005) [arXiv:hep-ex/0505031]
62. **“Search for single top quark production in p anti-p collisions at  $s^{**}(1/2) = 1.96\text{-TeV}$ ”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Lett. B **622**, 265 (2005) [arXiv:hep-ex/0505063]
63. **“Measurement of the t anti-t production cross section in p anti-p collisions at  $s^{**}(1/2) = 1.96\text{-TeV}$  in dilepton final states”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Lett. B **626**, 55 (2005) [arXiv:hep-ex/0505082]
64. **“Search for neutral supersymmetric Higgs bosons in multijet events at  $s^{**}(1/2) = 1.96\text{-TeV}$ ”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Rev. Lett. **95**, 151801 (2005) [arXiv:hep-ex/0504018]

65. **“Production of W Z events in p anti-p collisions at  $s^{**}(1/2) = 1.96\text{-TeV}$  and limits on anomalous W W Z couplings”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Rev. Lett. **95**, 141802 (2005) [arXiv:hep-ex/0504019]
66. **“Search for supersymmetry via associated production of charginos and neutralinos in final states with three leptons”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Rev. Lett. **95**, 151805 (2005) [arXiv:hep-ex/0504032]
67. **“Measurement of the t anti-t production cross section in p anti-p collisions at  $s^{**}(1/2) = 1.96\text{-TeV}$  using kinematic characteristics of lepton + jets events”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Lett. B **626**, 45 (2005) [arXiv:hep-ex/0504043]
68. **“Measurement of the t anti-t production cross section in p anti-p collisions at  $s^{**}(1/2) = 1.96\text{-TeV}$  using lepton + jets events with lifetime b-tagging”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Lett. B **626**, 35 (2005) [arXiv:hep-ex/0504058]
69. **“Measurement of the p anti-p  $-i$  W gamma + X cross section at  $s^{**}(1/2) = 1.96\text{-TeV}$  and W W gamma anomalous coupling limits”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Rev. D **71**, 091108 (2005) [arXiv:hep-ex/0503048]
70. **“Measurement of inclusive differential cross sections for Upsilon(1S) production in p anti-p collisions at  $s^{**}(1/2) = 1.96\text{-TeV}$ ”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Rev. Lett. **94**, 232001 (2005) [arXiv:hep-ex/0502030]
71. **“Study of Z gamma events and limits on anomalous Z Z gamma and Z gamma gamma couplings in p anti-p collisions at  $s^{**}(1/2) = 1.96\text{-TeV}$ ”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Rev. Lett. **95**, 051802 (2005) [arXiv:hep-ex/0502036]
72. **“First measurement of  $\sigma(\text{p anti-p } -i \text{ Z}) \times \text{Br}(\text{Z } -i \text{ tau tau})$  at  $s^{**}(1/2) = 1.96\text{-TeV}$ ”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Rev. D **71**, 072004 (2005) [arXiv:hep-ex/0412020]
73. **“Search for first-generation scalar leptoquarks in p anti-p collisions at  $s^{**}(1/2) = 1.96\text{-TeV}$ ”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Rev. D **71**, 071104 (2005) [arXiv:hep-ex/0412029]
74. **“A search for anomalous heavy-flavor quark production in association with W bosons”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Rev. Lett. **94**, 152002 (2005) [arXiv:hep-ex/0411084]
75. **“A search for the flavor-changing neutral current decay  $B_s^0 \rightarrow \mu^+ \mu^-$  in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96\text{ TeV}$  with the DØ detector”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Rev. Lett. **94**, 071802 (2005) [arXiv:hep-ex/0410039]
76. **“Measurement of the ratio of  $B^+$  and  $B^0$  meson lifetimes”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Rev. Lett. **94**, 182001 (2005) [arXiv:hep-ex/0410052]
77. **“Measurement of the  $\Lambda_b^0$  lifetime in the decay  $\Lambda_b^0 \rightarrow J/\psi \Lambda^0$  with the DØ detector”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Rev. Lett. **94**, 102001 (2005) [arXiv:hep-ex/0410054]

78. **“A search for  $Wb\bar{b}$  and  $WH$  production in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Rev. Lett. **94**, 091802 (2005) [arXiv:hep-ex/0410062]
79. **“Measurement of the  $WW$  production cross section in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Rev. Lett. **94**, 151801 (2005) [arXiv:hep-ex/0410066]
80. **“A measurement of the ratio of inclusive cross sections  $\sigma(pp \rightarrow Z + b - \text{jet})/\sigma(pp \rightarrow Z + \text{jet})$  at  $\sqrt{s} = 1.96$  TeV”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Rev. Lett. **94**, 161801 (2005) [arXiv:hep-ex/0410078]
81. **“Measurement of dijet azimuthal decorrelations at central rapidities in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Rev. Lett. **94**, 221801 (2005) [arXiv:hep-ex/0409040]
82. **“Measurement of the  $B_s^0$  lifetime in the exclusive decay channel  $B_s^0 \rightarrow J/\psi\phi$ ”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Rev. Lett. **94**, 042001 (2005) [arXiv:hep-ex/0409043]
83. **“Search for supersymmetry with gauge-mediated breaking in diphoton events at DØ”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Rev. Lett. **94**, 041801 (2005) [arXiv:hep-ex/0408146]
84. **“Observation and properties of the  $X(3872)$  decaying to  $J/\psi\pi^+\pi^-$  in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Rev. Lett. **93**, 162002 (2004) [arXiv:hep-ex/0405004]
85. **“Search for doubly-charged Higgs boson pair production in the decay to  $\mu^+\mu^+\mu^-\mu^-$  in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV”**  
V. M. Abazov *et al.* [D0 Collaboration]  
Phys. Rev. Lett. **93**, 141801 (2004) [arXiv:hep-ex/0404015]
86. **“The DZERO level 3 data acquisition system”**  
R. D. Angstadt *et al.*  
IEEE Trans. Nucl. Sci. **51**, 445 (2004)  
Prepared for 13th IEEE - NPSS Real Time Conference (RT 2003), Montreal, Canada, 18-23 May 2003
87. **“The DZERO level 3 data acquisition system”**  
D. Chapin *et al.*  
In the Proceedings of 2003 Conference for Computing in High-Energy and Nuclear Physics (CHEP 03), La Jolla, California, 24-28 Mar 2003, pp MOGT002 [arXiv:physics/0307070]  
FERMILAB-CONF-03-462-E(2003)  
Talk given at 2003 Conference for Computing in High-Energy and Nuclear Physics (CHEP 03), La Jolla, California, 24-28 Mar 2003
88. **“DØ online monitoring and automatic DAQ recovery”**  
A. Haas *et al.*  
In the Proceedings of 2003 Conference for Computing in High-Energy and Nuclear Physics (CHEP 03), La Jolla, California, 24-28 Mar 2003, pp THGT004 [arXiv:physics/0306195]  
FERMILAB-CONF-03-467(2003)  
Talk given at 2003 Conference for Computing in High-Energy and Nuclear Physics (CHEP 03), La Jolla, California, 24-28 Mar 2003
89. **“Simultaneous tracking and vertexing with elastic templates”**  
A. Haas  
Prepared for 7th International Workshop on Advanced Computing and Analysis Techniques in Physics Research (ACAT 2000), Batavia, Illinois, 16-20 Oct 2000