
# An overview of batch processing

02-Jun-2022

#### One-on-one




One way to speed things up within ROOT: multi-threaded code (RDataFrame, PROOF) Your computer (multiple cores) Your program (multiple threads) One thread One thread One thread One thread One thread


Pro tip: See Part Five of the ROOT tutorial to explore this option, or my "fast way to analyze" talk if I give it.

Out of ROOT, you can have multiple programs on a single computer (UNIX command "at")


You have to remember not to submit too many jobs or you'll overload the computer



A batch system managing multiple programs on a single computer (UNIX command "batch")



A batch system managing multiple programs on multiple computers



The standard software for managing batch systems in scientific computing is HTCondor (or just Condor)

### Main web page

http://research.cs.wisc.edu/htcondor/


### Quick start

https://htcondor.readthedocs.io/en/latest/users-manual/quick-start-guide.html


#### Full manual

https://htcondor.readthedocs.io/en/latest/


 Stick to the "vanilla" universe; the "standard" universe won't work for ROOT or any other particle-physics software (so you don't need condor\_compile). Condor will halt a queue in favor of an interactive program




Condor managing multiple programs on multiple computers with multiple configurations



Condor uses "ClassAds" to match your requirements with what each node offers



- Condor can't do everything for you.
- Think about input files (including programs) and output files and how they'll be accessed.
- Think about disk space. "df -h" and "du -shx \*" can help.
- Fun fact: The particle-physics Condor pools can't see your home directory!
- Moral: Let condor transfer your files... when possible.




- Condor can't do everything for you.
- Think about input files (including programs) and output files and how they'll be accessed.
- Think about disk space. "df -h" and "du -shx \*" can help.
- Fun fact: The particle-physics Condor pools can't see your home directory!
- Moral: Let condor transfer your files... when possible.


When you can't let condor transfer your files, here are disk-sharing methods outside of condor:

- NFS used at Nevis
- CVMFS Fermilab and CERN
- Grid, BlueArc only used at Fermilab


- Condor can't do everything for you.
- Think about input files (including programs) and output files and how they'll be accessed.
- Think about disk space. "df -h" and "du -shx \*" can help.
- Fun fact: The particle-physics Condor pools can't see your home directory!
- Moral: Let condor transfer your files... when possible.



- Condor can't do everything for you.
- Think about input files (including programs) and output files and how they'll be accessed.
- Think about disk space. "df -h" and "du -shx \*" can help.
- Fun fact: The particle-physics Condor pools can't see your home directory!
- Moral: Let condor transfer your files... when possible.




# Particle-Physics Computer Systems Linux Cluster



https://twiki.nevis.columbia.edu/twiki/bin/view/Main/LinuxCluster https://twiki.nevis.columbia.edu/twiki/bin/view/Main/ListOfMachines

#### Bringing the job to the data



## Final tips

- Split up your task so each condor job takes 20-60 minutes
- If your job must be preempted, it will have to run from the beginning on the same machine that cancelled the job
- Test your job with one process before submitting it for 10,000 processes!

### Resources

Main web page

http://research.cs.wisc.edu/htcondor/

#### Quick start

https://htcondor.readthedocs.io/en/latest/users-manual/quick-start-guide.html

**Full manual** 

https://htcondor.readthedocs.io/en/latest/

Nevis particle-physics condor guide

https://twiki.nevis.columbia.edu/twiki/bin/view/Nevis/Condor

Basic Condor@Nevis tutorial

http://www.nevis.columbia.edu/~seligman/root-class/